### APPENDIX A DEFINITIONS

BEST TRACK - A subjectively smoothed path, versus a precise and very erratic fix-to-fix path, used to represent tropical cyclone movement, and based on an assessment of all available data.

BINARY INTERACTION - A mutual cyclonic orbit of two tropical cyclones around their centroid. Lander and Holland (1993) showed that the behavior of most binary tropical cyclones consists of an approach, sudden capture, then a period of steady cyclonic orbit followed by a sudden escape or (less frequently) a merger (see Figure A-1).




Figure A-1 Model of binary interation of two tropical cyclones that contain the major elements of approach and capture, followed by mutual orbit, then escape, or merger.

CENTER - The vertical axis or core of a tropical cyclone. Usually determined by cloud vorticity patterns, wind and/or pressure distribution.

EPHEMERIS - Position of a body (satellite) in space as a function of time; used for gridding satellite imagery. Since ephemeris gridding is

based solely on the predicted position of the satellite, it is susceptible to errors from vehicle wobble, orbital eccentricity, the oblateness of the Earth, and variation in vehicle speed.

EXPLOSIVE DEEPENING - A decrease in the minimum sea-level pressure of a tropical cyclone of 2.5 mb/hr for at least 12 hours or 5 mb/hr for at least six hours (Dunnavan 1981).

EXTRATROPICAL - A term used to indicate that a cyclone has lost its "tropical" characteristics. The term implies both poleward displacement from the tropics and the conversion of the cyclone's primary energy source from the release of latent heat of condensation to baroclinic processes. In the XT technique (Miller and Lander 1997a) a tropical cyclone is defined as having completed extratropical transition when the circulation center has moved poleward of the polar jet maximum or when water vapor imagery clearly indicates the system has become entirely cold-core. It is important to note that cyclones can become extratropical and still maintain winds of typhoon or storm force.

EYE - The central area of a tropical cyclone when it is more than half surrounded by wall cloud.

INTENSITY - The maximum sustained 1-minute mean surface wind speed, typically within one degree of the center of a tropical cyclone.

MAXIMUM SUSTAINED WIND - The highest surface wind speed averaged over a 1-minute period of time. (Peak gusts over water average 20 to 25 percent higher than sustained winds).

MEI-YU FRONT - The Term "mei-yu" is the Chinese expression for "plum rains". The mei-yu front is a persistant east-west zone of disturbed weather during spring which is quasi-stationary and stretches from the east China coast, across Taiwan, and eastward into the Pacific south of Japan.

MONSOON DEPRESSION - A tropical cyclonic vortex characterized by: 1) its large size, the outer-most closed isobar may have a diameter on the order of 600 nm (1000 km); 2) a loosely organized cluster of deep convective elements; 3) a low-level wind distribution which features a 100-nm (200-km) diameter light-wind core which may be partially surrounded by a band of gales; and, 4) a lack of a distinct cloud system center. Note: most monsoon depressions which form in the western North Pacific eventually acquire persistent central convection and accelerated core winds marking its transition into a conventional tropical cyclone.

MONSOON GYRE - A mode of the summer monsoon circulation of the western North Pacific characterized by: 1) a very large nearly circular low-level cyclonic vortex that has an outer-most closed isobar with diameter on the order of 1350 nm (2500 km); 2) a cloud band rimming the southern through eastern periphery of the vortex/surface low; 3) a relatively long (two week) life span - initially, a subsident regime exists in its core and western and northwestern quadrants with light winds and scattered low cumulus clouds; later, the area within the outer closed isobar may fill with deep convective cloud and become a monsoon depression or tropical cyclone; and, 4) the large vortex cannot be the result of the expanding wind field of a preexisting monsoon depression or tropical cyclone. Note: a series of small or very small tropical cyclones may emerge from the "head" or leading edge of the peripheral cloud band of a monsoon gyre (JTWC 1993; Lander 1994a).

RAPID DEEPENING - A decrease in the minimum sea-level pressure of a tropical cyclone of 1.75 mb/hr or 42 mb for 24-hours (Holliday and Thompson 1979).

RECURVATURE - The turning of a tropical cyclone from an initial path toward the west and poleward to east and poleward, after moving poleward of the mid-tropospheric subtropical ridge axis.

REVERSE-ORIENTED MONSOON TROUGH - The distinguishing characteristics of a reverse-oriented monsoon trough in the western North Pacific are a SW-NE (i.e., reverse) orientation of the trough axis with respect to the normal NW-SE orientation of the trough axis, and the penetration of the trough axis into subtropical areas normally the province of easterly flow.

SIGNIFICANT TROPICAL CYCLONE - A tropical cyclone becomes "significant" with the issuance of the first numbered warning by the responsible warning agency.

SIZE - The areal extent of a tropical cyclone, usually measured radially outward from the center to the outer-most closed isobar. Based on an average radius of the outer-most closed isobar, size categories in degrees of latitude follow:  $< 2^{\circ} = \text{very small}$ ,  $2^{\circ}$  to  $3^{\circ} = \text{small}$ ,  $3^{\circ}$  to  $6^{\circ} = \text{medium}$  (average),  $6^{\circ}$  to  $8^{\circ} = \text{large}$ , and  $8^{\circ}$  or greater = very large (Brand 1972 and a modification of Merrill 1982).

STRENGTH - The average wind speed of the surrounding low-level wind flow, usually measured within a one to three degree annulus of the center of a tropical cyclone (Weatherford and Gray 1985).

SUBTROPICAL CYCLONE - A low pressure system that forms over the ocean in the subtropics and has some characteristics of a tropical circulation, but not a central dense overcast. Although of upper cold low or low-level baroclinic origins, the system can transition to a tropical cyclone.

SUPER TYPHOON - A typhoon with maximum sustained 1-minute mean surface winds of 130 kt (67 m/sec) or greater.

TROPICAL CYCLONE - A non-frontal, migratory low-pressure system, usually of synoptic scale, originating over tropical or subtropical waters and having a definite organized circulation.

TROPICAL DEPRESSION - A tropical cyclone with maximum sustained 1-minute mean surface winds of 33 kt (17 m/sec) or less.

TROPICAL DISTURBANCE - A discrete system of apparently organized convection, generally 100 to 300 nm (185 to 555 km) in diameter, originating in the tropics or subtropics, having a non-frontal, migratory character and having maintained its identity for 12- to 24-hours. The system may or may not be associated with a detectable perturbation of the low-level wind or pressure field. It is the basic generic designation which, in successive stages of development, may be classified as a tropical depression, tropical storm, typhoon or super typhoon.

TROPICAL STORM - A tropical cyclone with maximum 1-minute mean sustained surface winds in the range of 34 to 63 kt (18 to 32 m/sec), inclusive.

TROPICAL UPPER-TROPOSPHERIC TROUGH (TUTT) - A dominant climatological system and a daily upper-level synoptic feature of the summer season, over the tropical North Atlantic, North Pacific and South Pacific Oceans (Sadler 1979). Cold core lows in the TUTT are referred to as cells, or TUTT cells.

TYPHOON (HURRICANE) - A tropical cyclone with maximum sustained 1-minute mean surface winds of 64 to 129 kt (33 to 66 m/sec). West of 180° E longitude they are called typhoons and east of 180° E longitude hurricanes.

WALL CLOUD - An organized band of deep cumuliform clouds that immediately surrounds the central area of a tropical cyclone. The wall cloud may entirely enclose or partially surround the center.

WESTERLY WIND BURST - A short-duration low-level westerly wind event along and near the equator in the western Pacific Ocean (and sometimes in the Indian Ocean) (Luther et al. 1983). Typically, a westerly wind burst (WWB) lasts several days and has westerly winds of at least 10 kt (5 m/sec) (Keen 1988). Most WWBs occur during the monsoon transition months of April-May, and November-December. They show some relationship to the ENSO phenomenon (Luther et al. 1983; Ramage 1986). Some WWBs are even more energetic, with wind speeds of 30 kt (15 m/sec) observed during well-developed systems. These intense WWBs are associated with a large cluster of deep-convective cloud along the equator. An intense WWB is a necessary precursor to the formation of tropical cyclone twins symmetrical with respect to the equator (Keen 1982; Lander 1990).

## APPENDIX B NAMES FOR TROPICAL CYCLONES IN THE WESTERN NORTH PACIFIC OCEAN AND SOUTH CHINA SEA

Column 1		Column 2		Column 3		Column 4	:
ANN	AN	ABEL	A-bel	AMBER	AM-ber	ALEX	AL-x
BART	BART	BETH	BETH /	BING	<b>BING</b>	BABS	BABS
CAM	KAM	CARLO	KAR-lo	CASS	KASS	CHIP	CHIP
DAN	DAN	DALE	DAY-U	DAVID	DAY-vid	DAWN	DAWN
EVE	EEV	<b>ERNIE</b>	ER-nee	ELLA	EL-la	<b>ELVIS</b>	EL-vis
FRANKIE	FRANK-ee	FERN	FERN	FRITZ	FRITZ	FAITH	<i>FAITH</i>
<b>GLORIA</b>	GLOR-ee-uh	GREG	GREG	GINGER	JIN-jer	GIL	GIL
HERB	HERB	HANNAH	HAN-nah	HANK	HANGK	HILDA	HIL-dah
IAN	EE-an	ISA	EE-sah	IVAN	I-van	IRIS	I-ris
JOY	JOY	JIMMY	JIM-ee	JOAN	<b>JONE</b>	<b>JACOB</b>	JAY-kob
KIRK	KIRK	KEĽLY	KEL-lee	KEITH	KEETH	KATE	KATE
LISA	LEE-sah	LEVI	LEEV-eye	LINDA	LIN-dah	LEO	LEE-o
MARTY	MAR-tee	MARIE	mah-REE	MORT	MORT	MAGGIE	MAG-gee
NIKI	NI-kee	NESTOR	NES-tor	<b>NICHOLE</b>	nik-KOL	NEIL	NEEL
ORSON	OR-son	OPAL	O-pel	OTTO	OT-tow	OLGA	OL-gah
PIPER	PI-per	PETER	PEE-ter	PENNY	PEN-nee	<b>PAUL</b>	PAUL
RICK	RICK	ROSIE	RO-zee	REX	REX	RACHEL	RAY-chel
SALLY	SAL-lee	SCOTT	SKOT	STELLA	STEL-lah	SAM	SAM
TOM	TOM	TINA	TEE-nah	TODD	TOD	<b>TANYA</b>	TAHN-yah
<b>VIOLET</b>	VI-uh-let	VICTOR	vik-TOR	VICKI	VIK-kee	VIRGIL	VER-jil
WILLIE	WIL-lee	WINNIE	WIN-nee	WALDO	WAL- $do$	WENDY	WEN-dee
YATES	YATES	YULE	YOU-I	YANNI	YAN-ni	YORK	YORK
ZANE	ZANE	ZITA	ZEE-tah	ZEB	ZEB	ZIA	ZEE-uh

NOTE 1: Assign names in rotation, alphabetically, starting with (ANN) for first tropical cyclone of 1996. When the last name in Column 4 (ZIA) has been used, the sequence will begin again with the first name in Column 1 (ANN).

NOTE 2: Pronunciation guide for names is italicized.

**SOURCE: CINCPACINST 3140.1W** 

# APPENDIX C CONTRACTIONS

AB	Air Base	MRQ	Automated Response to Query	COMNAVI	METOCCOM or CNMOC Commander
ABW	Air Base Wing	ATCF'	Automated Tropical		Naval Meteorology and Oceanography Command
ABIO	Significant Tropical Weather Advisory for the Indian Ocean	ATCR	Cyclone Forecast (system)  Annual Tropical	СРА	Closest Point of Approach
ABPW	Significant Tropical Weather Advisory for the Western Pacific Ocean	AUTODIN	Cyclone Report  Automated Digital  Network	CPHC CSC	Central Pacific Hurricane Center Cloud System Center
ACCS	Air Control Center Squadron	AVHRR	AdvancedVery High Resolution Radiometer	CSUM	Colorado State University Model
ACFT	Aircraft	AWDS	Automated Weather Distribution System	CW	Continuous Wave
ADEOS	Japanese Advanced Earth Observing	AWN	Automated Weather Network	DAVE	Dynamic Average
	Satellite	BLND	Blended (Hybrid Aid)	DD	Digital Dvorak
ADP	Automated Data Processing	BRAC	Base Realignment and Closure	DDN DEG	Defense Data Network  Degree(s)
AFB	Air Force Base	CDO	Central Dense Overcast	DFS	Digital Facsimile
AFDIS	Air Force Dial-In System	CI	Current Intensity	DISN	System Defense Information
AFGWC	Air Force Global Weather Central	CIMSS	Cooperative Institute for Meterological Satellite		Systems Network
AIREP	Aircraft (Weather) Report	CIV	Studies  Civilian	DMS	Defense Messaging System
AJTWC	Alternate Joint Typhoon Warning Center	CLD	Cloud	DMSP	Defense Meteorological Satellite Program
AMOS	Automated	CLIM	Climatology	DOD	Department of Defense
	Meteorological Observing Station	CLIP or CLIPER	Climatology and Persistence Technique	DSN	Defense Switched Network
AOR	Area of Responsibility	CM	Centimeter(s)	DTG	Date Time Group
ARC	Automated Remote Collection (system)	C-MAN	Coastal-Marine Automated Network	EGRR	Bracknell Model
ARGOS	(International Service for Drifting Buoys)	CMOD	Compact Meteorological and Oceanographic Drifter (buoy)	ENSO	El Niño-Southern Oscillation

ERS	European Remote	ICAO	International Civil	MET	Meteorological
	Sensing Satellite		Aviation Organization	,	<i>(</i>
		INIT	Initial	METEOSAT	C European
FBAM	FNMOC Beta and				Meteorological Satellite
	Advection Model	INST	Instruction		Wicker Diogram Salonice
•	114 40011011 1/10401	11101	instruction .	MIDDAS	Meteorological
FI	Forecast Intensity	IP	Internet Protocol	MIDDAS	
1.1	(Dvorak)	II.	internet Protocor		Imagery, Data Display,
, •	(Dvorak)	tro	To Come and	*.	and Analysis System
ET DATERANA	PEOCOEN	<b>I</b> R	Infrared	2.5727	
FLENUMM				MIN	Minimum
or FNMOC	_ · · · · · · · · · · · · · · · · · · ·	JGSM	Japanese Global		
	Meteorology and		Spectral model	MINI-MET	Mini-Meteorological
	Oceanography Center				(buoy)
		JTWC 💉	Joint Typhoon Warning		
FT	Foot/Feet	/	Center	MISTIC	Mission Sensor Tactical
		$\mathcal{L}_{i}$	<i>:</i>		Imaging Computer
FTP	File Transfer Protocol	JTWC92	Statistical-Dynamical		
		or JT92	Objective Technique	MM	Millimeter(s)
GCA	Great Circle Arc		,		()
		JTYM	Japanese Typhoon	MOVG	Moving
GFDN	Geophysical Fluid		Model	111010	Moving
GI DI	Dynamics - Navy		1410401	MSLP	Minimum Sea-level
	Dynamics - Navy	KM	Kilometer(s)	WISLF	
GMS	Ianan Gaastatianan	WIAI	Anometer(s)		Pressure
GMS	Japan Geostationary	` 12T	Vm e4/e)		341
	Meteorological Satellite	KT	Knot(s)	MSU	Microwave Sounding
~~~		T 4 5 7			Unit
GMT	Greenwich Mean Time	LAN	Local Area Network		
	1			NARDAC	Naval Regional Data
GOES	Geostationary .	LAT	Latitude		Automation Center
	Operational J				
	Environmental Satellite	LLCC	Low-Level Circulation	NAS	Naval Air Station
	, ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (		Center		
GSRS	Geostationary Satellite			NASA	National Aeronautics
	Receiving System	LONG	Longitude		and Space
					Administration
GTS	Global Telecommun-	LUT	Local User Terminal		
	ications System			NAVPACME	TOCCEN or NPMOC
		LVL	Level		Naval Pacific
HIRS	High Resolution		4 17 2		Meteorology and
	Infrared Sounder	M	Meter(s)		Oceanography Center
	Innuica Sounds		wiciel(s)	: -	
hPa	Hectopascal	MAX	Maximum		(Hawaii)
ша	ricciopascai	MAA	Maximum	BIASIDA CREE	TO COPIL WEST
HPAC	Mean of XTRP and	MB	Manager		TOCCEN WEST
пгас		MID	Millibar(s)	or NPMOCW	
	CLIM Techniques (Half Persistence and	36D 436	34. U. D.		Naval Pacific
		MBAM	Medium Beta and		Meteorology and
	Climatology)		Advection Model		Oceanography Center
					West (Guam)
HF	High Frequency	MCAS	Marine Corps	NORR	
			Air Station		National Centers for
·HR	Hour(s)				Environmental
	•	MCS	Mesoscale Convective		Prediction
HRPT	High Resolution		System		
	Picture Transmission		-	NEDN	Naval Environmental
		4.5	₽ <u>-</u>		Data Network
	1				

	£				,
NESDIS	National Environmental Satellite, Data, and	NRL-MRY	Naval Research Laboratory at Monterey,	PIREP	Pilot Weather Report(s)
•	Information Service	<u>.</u>	CA	QBO	Quasi-Biennial Oscillation
NESN	Naval Environmental Satellite Network	NSCAT	NASA Scatterometer	RADOB	Radar Observation
• •		NSDS-G	Naval Satellite Display	RECON	Reconnaissance
NEXRAD	Next Generation (Doppler Weather)	. 3	System - Geostationary	RECR	Recurve (Forecast Aid)
	Radar (WSR-88D)	NTWP	Naval Telecommunications	RMSE	Root mean square error
NGDC	National Geophysical Data Center		Area Master Station, Western Pacific	ROCI	Radius of outer-most closed isobar
NHC	National Hurricane Center	SIPRNET	Secret Internet Protocol Router Network	SAT	Satellite
NIPRNET	Non-secure Internet	NWP	Northwest Pacific	SCS	South China Sea
	Protocol Router Network	NWS	National Weather Service	SDHS	Satellite Data Handling System
NM	Nautical Mile(s)	OBS	Observations	SEC	Second(s)
NMC	National Meteorological Center (now NCEP)	OLS	Operational Linescan System	SFC	Surface
NOAA	National Oceanic and			SGDB	Satellite Global Data
NOAA	Atmospheric	ONR	Office of Naval	Ì	Base
•	Administration		Research	SIPRNET	Secret Internet Protocol
NODDES	Naval Oceanographic	oss	Operations Support Squadron		Router Network
e e e	Data Distribution and		Squauron	SLP	Sea-Level Pressure
	Expansion System	OSB	Ocean Sciences Branch	SPAWARS	YSCOM Space and
NODDS	Naval Oceanography Data Distribution System	OTCM	One-Way (Interactive) Tropical Cyclone Model		Naval Warfare Systems Command
NOGAPS	Navy Operational	PACAF	Pacific Air Force	SPIDR	Space Physics Interactive Data
or NGPS	Global Atmospheric Prediction System	PACMEDS	Pacific Meteorological Data System		Resource
NORAPS	Navy Operational	PACOM	Pacific Command	SSM/I	Special Sensor Microwave/Imager
or NRPS	Regional Atmospheric			SST	Sea Surface
	Prediction System	PAGASA	Philippine Atmospheric, Geophysical, and		Temperature
NPS	Naval Postgraduate School		Astronomical Services Administation	SSU	Stratosphere Sounding Unit
NR	Number	PC	Personal Computer	ST	Subtropical
NRL	Naval Research Laboratory	PCN	Position Code Number	STNRY	Stationary
		PDN	Public Data Network		

STR	Subtropical Ridge	TOGA	Tropical Ocean Global Atmosphere	WESTPAC or WNP	Western (North) Pacific
STRT	Straight (Forecast Aid)	TOVS	TIROS Operational	WGTD	Weighted (Hybrid Aid)
STY	Super Typhoon	i.	Vertical Sounder		
SWDIS	Satellite Weather Data Imaging System	TS	Tropical Storm	WMO	World Meteorological Organization
TAPT	Typhoon Acceleration	TUTT	Tropical Upper- Tropospheric Trough	WRN or WRNG	Warning(s)
TPC	Prediction Technique	TY	Typhoon	WSD	Wind Speed and
TC	Tropical Cyclone	TYAN	Typhoon Analog		Direction
TCFA	Tropical Cyclone Formation Alert		(Forecast Aid)	WSR-88D	Weather Surveillance Radar - 1988 Doppler
TD	Tropical Depression	ULCC	Upper-Level Circulation Center	WVTW	Water Vapor Tracked
TDA	Typhoon Duty Assistant	US	United States		Winds
TDO	Typhoon Duty Officer	USAF	United States Air Force	WWB	Westerly Wind Burst
TELEFAX	Telephone Facsimile	USCINCPAC	C Commander-in-Chief Pacific (AF - Air	www	World Wide Web
TESS	Tactical Environmental		Force, FLT - Fleet)	XT	Extratropical
	Support System	USN	United States Navy	XTRP	Extrapolation
TIFF	Tagged Image File Format	VIS	Visual	z	Zulu time
TIROS-N	Television Infrared Observational Satellite- Next Generation	WAN	Wide Area Network		(Greenwich Mean Time/Universal Coordinated Time)

11.

### APPENDIX D PAST ANNUAL TROPICAL CYCLONE REPORTS

Copies of the past Annual Tropical Cyclone Reports for DOD agencies or contractors can be obtained through:

Defense Technical Information Center (DTIC)
DTIC-BR (Reference & Retrieval Division)
8725 John J. Kingman Road
Suite 0940
Ft. Belvoir, VA 22060-6218

Phone: comm (703) 767-8274 DSN 427-9070 Fax: comm (703) 767-9070 DSN 427-9070

Copies for non-DOD agencies or users can be obtained from:

National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

> Phone: (703) 487-4650 Fax: (703) 321-8547

### Refer to the following numbers when ordering:

	Acquisition		Acquisition		Acquisition
<u>Year</u>	<u>Number</u>	<u>Year</u>	<u>Number</u>	<u>Year</u>	Number
1959	AD 786147	1972	AD 768334	1984	AD A153395
1960	AD 786148	1973	AD 777093	1985	AD A168284
1961	AD 786149	1974	AD 010271	1986	AD A184082
1962	AD 786128	1975	AD A023601	1987	AD A191883
1963	AD 786208	1976	AD A038484	1988	AD A207206
1964	AD 786209	1977	AD A055512	1989	AD A232469
1965	AD 786210	1978	AD A070904	1990	AD A239910
1966	AD 785891	1979	AD A082071	1991	AD A251952
1967	AD 785344	1980	AD A094668	1992	AD A274464
1968	AD 785251	1981	AD A112002	1993	AD A285097
1969	AD 785178	1982	AD A124860	1994	AD A301618
1970	AD 785252	1983	AD A137836	1995	AD A321611
1971	AD 768333				

### APPENDIX E DISTRIBUTION LIST

1 COPY ACCU-WEATHER, INC. AMERICAN EMBASSY, NEW DEHLI ANALYSIS & PROCESSING CENTER, INDONESIA ARNOLD ASSOCIATES ASIAN DISASTER PREPAREDNESS CENTER. BANGKOK, THAILAND ATMOSPHERIC DIV LIBRARY, NEW ZEALAND **BARRETT CONSULTING GROUP BRUNEI SHELL PETROLEUM CO** CATHOLIC UNIVERSITY OF AMERICA CAF WEATHER CENTRAL, TAIWAN CENTRAL MET OBSERVATORY, BELJING CENTRAL METEOROLOGICAL OFFICE, SEOUL CHULALONGKORN UNIVERSITY, BANGKOK **HQ AWS** CHUNG CHENG INSTITUTE, TAIWAN CITY POLYTECHNIC OF HONG KONG CIUDAD UNIVERSITARIA, MEXICO CIVIL DEFENSE, CHUUK CIVIL DEFENSE, MAJURO CIVIL DEFENSE, PALAU CIVIL DEFENSE, POHNPEI CIVIL DEFENSE, SAIPAN CIVIL DEFENSE, YAP CINCPACFLT CNN, ATLANTA, GA CNO, WASHINGTON, D.C. **COMNAVMETOCCOM** COLORADO STATE UNIVERSITY LIBRARY COMMONWEALTH NORTHERN MARIANA **ISLANDS COMNAVMARIANAS** COMNAVSURFPAC, SAN DIEGO **COMPHIBGRU ONE** COMSCWESTPAC GU COMSEVENTHFLT COMSPAWARSYSCOM **COMSUBGRU SEVEN** COMTHIRDFLT **COMUSNAVCENT** CONGRESSIONAL INFORMATION SERVICE, MD DCA GUAM DET 2, 5WS CAMP HUMPHREYS, KOREA DET 3, 5WS CAMP CASEY, KOREA DISASTER CONTROL OFFICE, SAIPAN **ECONOMIC COUNCIL SAIPAN** EDMUNDS COLLEGE SOCIAL SCIENCE DEPT **ENVIRONMENTAL QUALITY PROTECTION** BOARD, PALAU FEDERAL EMERGENCY MANAGEMENT AGENCY.

GUAM

FIJI METEOROLOGICAL SERVICE FLENUMMETOC DET, ASHEVILLE GEOLOGICAL FLUID DYNAMICS LAB, PRINCETON, NJ GEOLOGICAL SURVEY, GUAM **GEOPHYSICS LAB** GIFU METEOROLOGICAL OFFICE, JAPAN GODDARD SPACE FLIGHT CENTER **GUAM COMMUNITY COLLEGE GUAM POWER AUTHORITY GUAM PUBLIC LIBRARY** HORIZON MARINE. INC HQ AIR COMBAT COMMAND/OSW HQ AMC TACC/WXC **HQ US STRATCOM/J3615** HO USAF/XOWO INDIA METEOROLOGICAL DEPT. INDIAN INSTITUTE OF TROPICAL MET INSTITUO DE GEOFISICA, MEXICO **INTERNATIONAL CENTER FOR DISASTER** MITIGATION, TOKYO JAPAN AIR LINES JCS ENV SERVICES DIV, PENTAGON JET PROPULSION LAB, PASADENA KOREAN METEOROLOGICAL ADMIN FORECAST **BUREAU** LEND FOUNDATION LISD CAMP SPRINGS CENTER, MD MARATHON OIL CO, TX MAURITIUS METEOROLOGICAL SERVICE MASS INST OF TECH MCAS FUTENMA MCAS IWAKUNI MCAS KANEOHE BAY, HI MERCANTILE AND GENERAL REINSURANCE. **AUSTRALIA** METEOROLOGICAL DEPARTMENT, PAKISTAN METEOROLOGICAL OFFICE, BRACKNELL METEOROLOGICAL SERVICE, MADAGASCAR METEOROLOGICAL SERVICE, MAURITIUS METEOROLOGICAL SERVICE, NEW ZEALAND METEOROLOGICAL SERVICE, REUNION MIL ASST ENV SCI (R & AT / E &LS) MOBIL OIL GUAM, INC NATIONAL CLIMATIC DATA CENTER LIBRARY, ASHEVILLE, NC NATIONAL METEOROLOGICAL CENTER NATIONAL METEOROLOGICAL LIBRARY.

BRACKNELL, UK

**NATIONAL TAIWAN UNIVERSITY** NATIONAL TECHNICAL INFORMATION SERVICE NATIONAL WEATHER SERVICE, CHUUK NATIONAL WEATHER SERVICE, MAJURO NATIONAL WEATHER SERVICE, PALAU NATIONAL WEATHER SERVICE, PAPUA NEW **GUINEA** NATIONAL WEATHER SERVICE, POHNPEI NATIONAL WEATHER SERVICE, SAIPAN NATIONAL WEATHER SERVICE, YAP NAVAL CIVIL ENG LAB PORT HUENENE, CA NAVAL POSTGRADUATE SCHOOL LIBRARY **NAVAL RESEARCH LAB** NAVCENTMETOCFAC, BAHRAIN NAVEURMETOCCEN, ROTA **NAVHISTCEN NAVICECEN, SUITLAND** NAVLANTMETOCCEN, NORFOLK NAVLANTMETOCFAC, JACKSONVILLE **NAVOCEANO NAVPACMETOC DET, ATSUGI** NAVPACMETOC DET, KADENA **NAVPACMETOC DET, SASEBO** NAVPACMETOCFAC, SAN DIEGO NAVPACMETOCFAC, YOKOSUKA NAVTRAMETOC DET, NEWPORT **NEW ZEALAND INSURANCE** NOAA/ACQUISITION SECTION, ROCKVILLE, MD NOAA/AOML, HRD, MIAMI, FL NOAA/HYDROMETEOROLOGY BR, SILVER SPRINGS, MD NOAA/NESDIS, HONOLULU, HI NOAA/PMEL, SEATTLE, WA NOAA ENVIRONMENTAL RESEARCH LAB NOAA LIBRARY, SEATTLE, WA NOBEL DENTON NRL ATMOSPHERIC DIRECTORATE OCEANROUTES, INC, JOLIMENT, WEST **AUSTRALIA** OCEANROUTES, INC, SINGAPORE OCEANROUTES, INC, SUNNYVALE, CA OCEANWEATHER, INC OFFICE OF FEDERAL COORDINATOR MET OFFICE OF NAVAL RESEARCH OFFICE OF THE NAVAL DEPUTY, NOAA **PACIFIC STARS & STRIPES PACNAVFACENGCOM** PAGASA FORECAST SECTION **PAGASA LIBRARY** PENNSYLVANIA STATE UNIVERSITY QUEENS COLLEGE, DEPT OF GEOLOGY REUNION METEOROLOGICAL SERVICE RUCH WEATHER SERVICE, INC SAINT LOUIS UNIVERSITY

SAT APPL LAB, NOAA/NESDIS, WASHINGTON, DC SHANGHAI TYPHOON INSTITUTE SOUTHSIDE WEATHER SERVICE AUSTRALIA SRI LANKA METEOROLOGICAL SOCIETY TAO PROJECT OFFICE **TEXAS A & M UNIVERSITY** UNIV OF COLORADO, ATMOS SCIENCE UNIVERSITY OF CHICAGO UNIVERSITY OF GUAM, BIOLOGY DEPT UNIVERSITY OF HAWAII LIBRARY UNIVERSITY OF WASHINGTON USCCC SCOTT AFB, IL USCINCPAC USCINCPAC REP GUAM USNA (OCEANOGRAPHY DEPT/LIBRARY) USS ABRAHAM LINCOLN (CVN 72) USS AMERICA (CV 66) USS BELLEAU WOOD (LHA-3) USS BOXER (LHD-4) USS BLUE RIDGE (LCC 19) **USS CARL VINSON (CVN 70)** USS CONSTELLATION (CV 64) USS EISENHOWER (CVN 69) USS ESSEX (LHD-2) USS GEORGE WASHINGTON (CVN 73) USS GUAM (LPH-9) **USS INDEPENDENCE (CV 62)** USS JOHN C. STENNIS (CVN 74) USS J. F. KENNEDY (CV 67) USS KEARSARGE (LHD-3) USS KITTY HAWK (CV 63) USS NASAU (LHA-4) USS NEW ORLEANS (LPH 11) USS NIMITZ (CVN 68) USS PELELIU (LHA 5) USS SAIPAN (LHA-2) USS TARAWA (LHA 1) USS T. ROOSEVELT (CVN 71) USS WASP (LHD 1) VANUATU METEOROLOGICAL SERVICE WORLD DATA CENTER B1, MOSCOW AFGWC/WFM OFFUTT AFB, NE 607WS WS/CC YONGSAN AIN KOREA 8 0SS/OSW KUNSAN AB, KOREA 15 OSS/OSW 18 OSS/OSW KADENA AB, JAPAN 35 OSS/OSW 36 ABW ANDERSEN AFB, GUAM 36 OSS/OSW ANDERSEN AFB, GUAM 53 WRS KEESLER AFB, MS 334 TTS/TTMV KEESLER AFB, MS 374 OSS/DOW YOKOTA AB, JAPAN 375 OG/WXF SCOTT AFB, IL 432 OSS/OSW MISAWA AB, JAPAN

603 ACCENS/WE OSAN AB, KOREA 36 OSS/OSW ANDERSEN AFB, GU 815 WS (AFRES), KEESLER AFB, MS

#### **2 COPIES**

**AEROMET INC., KWAJALEIN** AFGWC/WFMP **AWS TECH LIBRARY BUREAU OF METEOROLOGY, BRISBANE BUREAU OF METEOROLOGY, DARWIN** BUREAU OF METEOROLOGY LIBRARIAN. MELBOURNE **BUREAU OF METEOROLOGY, PERTH BUREAU OF PLANNING, GUAM** CIVIL DEFENSE, GUAM DEFENSE TECHNICAL INFORMATION CENTER DEPARTMENT OF COMMERCE ECMWF, BERKSHIRE, UK ESCAP LIBRARY, BANGKOK FLENUMMETOCCEN MONTEREY, CA FLORIDA STATE UNIVERSITY HQ AWS GROUP, ATC & WX WING JASDF, TOKYO INSTITUTE OF PHYSICS, TAIWAN MET RESEARCH INST LIBRARY, TOKYO MICRONESIAN RESEARCH CENTER UOG, GUAM NATIONAL CLIMATIC DATA CENTER NATIONAL DATA BUOY CENTER NATIONAL HURRICANE CENTER, MIAMI NATIONAL WEATHER SERVICE, HONOLULU **NAVPACMETOCCEN** 

NAVPACMETOC DET, DIEGO GARCIA
NAVPACMETOC DET, MISAWA
NOAA CENTRAL LIBRARY GUAM
NORA 1570 DALLAS, TX
NWSO, GUAM
OKINAWA METEOROLOGY OBSERVATORY
SAT APPL LAB, NOAA/NESDIS, CAMP SPRINGS,
MD
TYPHOON COMMITTEE SECRETARIAT, MANILA
UNIVERSITY OF PHILIPPINES
US ARMY, FORT SHAFTER
WORLD DATA CENTER A, NOAA
73 WEATHER GROUP, ROK AF

#### **3 COPIES**

BUREAU OF METEOROLOGY, DIRECTOR,
MELBOURNE, AUSTRALIA
CENTRAL WEATHER BUREAU, TAIWAN
INDIA METEOROLOGICAL DEPT
INOSHAC, DDGM (WF), INDIA
JAPAN METEOROLOGICAL AGENCY
KOREAN METEOROLOGY ADMINISTRATION
PLANNING BUREAU
NATIONAL WEATHER ASSOCIATION
NAVPGSCOL DEPT OF METEOROLOGY
NOAA CORAL GABLES LIBRARY
NRL, MONTEREY
PACAF/DOW
UNIVERSITY OF HAWAII, METEOROLOGY DEPT
WEATHER CENTRAL, CAF

					Form Approved OMB No. 0704-0188	
1A. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIV	Æ MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT AS IT APPEARS IN THE REPORT/			
28. SECURITY CLASSIFICATION AUTHORITY		DISTRIBUTION UNLIMITED				
4. PERFORMING ORGANIZATION REPORT NUMBER	5. MONITORING	ORGANIZATION RE	PORT NUMBER(	s)		
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	7a. NAME OF MONITORING ORGANIZATION			
NAVPACMETOCCENWEST/JTWC	(If applicable)	NAVPACME	NAVPACMETOCCENWEST/JTWC			
6c. ADDRESS (City, State and Zip Code) PSC 455, BOX 12 FPO AP 96540-0051		PSC 455, B	7b. ADDRESS (City, State and Zip Code) PSC 455, BOX 12 FPO AP 96540-0051			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION NAVPACMETOCCENWEST/JTWC	8b. OFFICE SYMBOL (If applicable)	9. PROCUREME	NT INSTRUMENT ID	ENIFICATION NU	MBER	
8c. ADDRESS (City, State and Zip Code) PSC 455, BOX 12		10. SOURCE OF F	UNDING NUMBERS			
FPO AP 96540-0051		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.	
1996 ANNUAL TROPICAL CYCLONE RE  12. PERSONAL AUTHOR(S)  13a. TYPE OF REPORT ANNUAL 16. SUPPLEMENTARY NOTATION  17. COSATI CODES	1996	MS (Continued on reverse if necessary and identify by block number)				
FIELD GROUP SUB-GROUP 04 02	EPRESSIONS YCLONE RESEAR	TYPHO		TYPHOONS SATELLITES		
19. ABSTRACT (Continued on reverse if necessary and identify by block number)  ANNUAL PUBLICATION SUMMARIZING TROPICAL CYCLONE ACTIVITY IN THE WESTERN NORTH PACIFIC, BAY OF BENGAL, ARABIAN SEA, WESTERN SOUTH PACIFIC AND SOUTH INDIAN OCEANS. A BEST TRACK IS PROVIDED FOR EACH SIGNIFICANT TROPICAL CYCLONE. A BRIEF NARRATIVE IS GIVEN FOR ALL TROPICAL CYCLONES IN THE WESTERN NORTH PACIFIC AND NORTH INDIAN OCEANS. ALL FIX DATA USED TO CONSTRUCT THE BEST TRACKS ARE PROVIDED UPON REQUEST ON DISKETTES. FORECAST VERIFICATION DATA AND STATISTICS FOR THE JOINT TYPHOON WARNING CENTER (JTWC) ARE SUBMITTED.						
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT  X UNCLASSIFIED/UNLIMITED X SAME AS	RPT. DTIC USERS	21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED				
22a. NAME OF RESPONSIBLE INIVIDUAL FRANK H. WELLS		22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL 349-5286 2TWC				

#### **UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE

### **BLOCK 18 (CONTINUED)**

RADAR
AUTOMATED METEOROLOGICAL OBSERVING STATIONS
SYNOPTIC DATA
TROPICAL CYCLONE INTENSITY
TROPICAL CYCLONE BEST TRACK
TROPICAL CYCLONE FORECASTING
TROPICAL CYCLONE RECONNAISSANCE
TROPICAL CYCLONE STEERING MODELS
OBJECTIVE FORECASTING TECHNIQUES
TROPICAL CYCLONE FIX DATA
MICROWAVE IMAGERY
DRIFTING BUOYS

SECURITY CLASSIFICATION OF THIS PAGE

BACK COVER: From its location on Guam, JTWC monitors an area of responsibility that stretches from 180° east longitude westward across the Western Pacific and Indian Oceans to the eastern coast of Africa.

